

PRE-POSTING OF SIGNS

NOTICE DO NOT REMOVE POSTING SIGNS OR MAPS UNTIL ALL WATER USE RESTRICTIONS HAVE EXPIRED

This area of _____ was chemically treated on _____, 2011
WATERBODY MONTH/DAY

for the control of an aquatic nuisance under: (select one of the following)

- DEQ Permit No. 1 1 - 9 8 - _____ - _____
- DEQ Certificate of Coverage No. 1 1 - 9 7 - _____
- DEQ Certificate of Coverage No. 1 1 - 9 6 - _____
- Permit by Rule, pursuant to R323.3102 (2)

The following water use restrictions apply through the expiration date indicated below:

| Check All That Apply | Chemical Product/ Active Ingredient | Trade Name(s) | <u>DO NOT use</u> this water for swimming and bathing <u>UNTIL</u> | <u>DO NOT use</u> this water for ornamentals or turf irrigation <u>UNTIL</u> | <u>DO NOT use</u> this water for domestic purposes or agricultural irrigation <u>UNTIL</u> | <u>DO NOT use</u> this water for livestock watering or similar purposes <u>UNTIL</u> |
|----------------------|---|--|--|--|--|--|
| | Butoxyethyl Ester of 2,4-Dichlorophenoxyacetic Acid | <input type="checkbox"/> NAVIGATE <input type="checkbox"/> SCULPIN-G | 24 HRS | TURF: NO RESTRICTIONS ORNAMENTALS: INDEFINITE | INDEFINITE | INDEFINITE |
| | Adjuvant/D, l-Limonene and related Isomers | <input type="checkbox"/> CYGNET-PLUS <input type="checkbox"/> POLYAN | NO RESTRICTIONS | NO RESTRICTIONS | NO RESTRICTIONS | NO RESTRICTIONS |
| | Chelated Copper/ Copper as Elemental | <input type="checkbox"/> CUTRINE-PLUS <input type="checkbox"/> CUTRINE ULTRA <input type="checkbox"/> K-TEA <input type="checkbox"/> SYMMETRY NXG | NO RESTRICTIONS | NO RESTRICTIONS | NO RESTRICTIONS | NO RESTRICTIONS |
| | Chelated Copper as Elemental/ Copper Carbonate | <input type="checkbox"/> KOMEEN <input type="checkbox"/> HARPOON <input type="checkbox"/> CURRENT | 24 HRS | NO RESTRICTIONS | NO RESTRICTIONS | NO RESTRICTIONS |
| | Copper Sulfate Pentahydrate | <input type="checkbox"/> PHELPS-DODGE <input type="checkbox"/> EARTHTEC <input type="checkbox"/> OLD BRIDGE <input type="checkbox"/> CHEMONE | NO RESTRICTIONS | NO RESTRICTIONS | NO RESTRICTIONS | NO RESTRICTIONS |
| | Diquat Dibromide | <input type="checkbox"/> REWARD <input type="checkbox"/> REDWING | 24 HRS | 3 DAYS | 5 DAYS | 1 DAY |
| | Endothal-Potassium/ Dipotassium salt of Endothal | <input type="checkbox"/> AQUATHOL-K <input type="checkbox"/> HYDROTHOL-191 | 24 HRS | NO RESTRICTIONS | 14 DAYS | NO RESTRICTIONS |
| | Fluridone | <input type="checkbox"/> AVAST <input type="checkbox"/> SONAR <input type="checkbox"/> WHITECAP | 24 HRS | 14 DAYS | 30 DAYS | NO RESTRICTIONS |
| | Glyphosate | <input type="checkbox"/> AQUA-STAR <input type="checkbox"/> AVOCET | 24 HRS | NO RESTRICTIONS | NO RESTRICTIONS | NO RESTRICTIONS |
| | Triclopyr | <input type="checkbox"/> RENOVATE 3 <input type="checkbox"/> RENOVATE OTF | 24 HRS | | INDEFINITE | INDEFINITE |
| | Water Dye & Colorants/ Water Soluble Dye | <input type="checkbox"/> CYGNET SELECT <input type="checkbox"/> BLUE SPRINGS <input type="checkbox"/> NATURES BLUE | 24 HRS | NO RESTRICTIONS | NO RESTRICTIONS | NO RESTRICTIONS |
| | | | | | | |
| | | | | | | |

OTHER INFORMATION:

The chemicals used for Aquatic Nuisance Control are registered by the U.S. Environmental Protection Agency, and the Michigan Department of Agriculture. The potential for damage to fish and other non-target organisms is minimal provided that the product is used as directed on the product label and the permit. To minimize the possible effects on health and the environment, the treated water is restricted for the above purposes.



9353 Hill Rd., Swartz Creek, MI 48473
(810) 635-4400 • Fax (810) 635-4404

Authority: Parts 31 and 33 of PA. 451 of 1994, as amended.

**DO YOU HAVE QUESTIONS?
 CHECK OUT OUR WEBSITE AT:
www.lakeproinc.com**

ATTACH TREATMENT MAP BELOW, IF REQUIRED.

Permit Information:



MDEQ
 Water Division
 P.O. Box 30273
 Lansing, MI 48909-7773
 email: DEQ-LWM-ANC@michigan.gov

EQP-2797 (Rev.10/07)